

Click & Drill

Patent Pending



WOODPECKER

Professional Quick - Change System for Drilling, Countersinking and Screw Driving

- The most effective way to increase productivity for drilling and fixing
- The tools are designed for use with power drills and screwdrivers
- Compatible with direct - drive 1/4" (6.3mm) hexagonal shank power bits
- Shanks meet the demands of: DIN 3126 - E 6.3mm and ANSI standard



- ✓ Pull sleeve
 - ✓ Change the bit
- No key needed!**



Switching in just a few seconds!


QC

Quick — Change Chucks

Converts all standard drill chucks into Quick – Change attachment.

No chuck key needed!

Fits all WOODPECKER Quick-Change tools and direct – drive 1/4" (6.3mm) hexagonal shank power bits.




AS

Countersinks - Carbide tipped with HSS drills

1/4" (6.3mm) hexagonal shanks.

Drill bits adjustable for drilling different lengths.

Tool No.	d		D	
	mm	inch	mm	inch
AS02004S	2.0	5/64	9.5	3/8
AS02404S	2.4	3/32	9.5	3/8
AS02504S	2.5		9.5	3/8
AS02804S	2.8	7/64	9.5	3/8
AS03004S	3.0		9.5	3/8
AS03204S	3.2	1/8	9.5	3/8
AS03504S	3.5		9.5	3/8
AS03604S	3.6	9/64	12.7	1/2
AS04004S	4.0	5/32	9.5	3/8
AS05004S	5.0		12.7	1/2
AS06004S	6.0		12.7	1/2




AS2

Shankless Countersinks - Carbide tipped

For assembling on drills

Tool No.	d		D	
	mm	inch	mm	inch
AS22800	2.8	7/64	9.5	3/8
AS23000	3.0		9.5	3/8
AS23200	3.2	1/8	9.5	3/8
AS23500	3.5		9.5	3/8
AS23600	3.6	9/64	12.7	1/2
AS24000	4.0	5/32	9.5	3/8
AS24400	4.4	11/64	9.5	3/8
AS24810	4.76	3/16	12.7	1/2
AS25610	5.6	7/32	12.7	1/2
AS26310	6.35	1/4	12.7	1/2



QCS

Sets of Quick-Change tools

Tool No.	Description
QCS0104	7 pcs set – in a wooden box
QCS0204	3 Countersinks: 2.5mm+3mm+4mm and DIY chuck
QCS0304	2 Countersinks: 3mm+4mm, Plug Cutter 9.5mm and DIY chuck


QMH

Magnetic Screwdriver* Holder + Bits

Fits standard hex shank screwdriver bits. Retractable screw holder.

1/4" (6.3mm) hexagonal shank for use with Quick- change chucks.

*Not useful for drilling




HS

Countersinks - HS with HSS drills

1/4" (6.3mm) hexagonal shanks.

Drill bits adjustable for drilling different lengths.

Tool No.	d		D	
	mm	inch	mm	inch
HS02404S	2.4	3/32	9.5	3/8
HS02504S	2.5		9.5	3/8
HS02804S	2.8	7/64	9.5	3/8
HS03004S	3.0		9.5	3/8
HS03204S	3.2	1/8	9.5	3/8
HS03504S	3.5		9.5	3/8
HS03604S	3.6	9/64	12.7	1/2
HS04004S	4.0	5/32	12.7	1/2
QHS4004	4 pcs set			




HS2

Shankless Countersinks - HS

For assembling on drills

Tool No.	d		D	
	mm	inch	mm	inch
HS24000	4.0	5/32	9.5	3/8
HS24400	4.4	11/64	9.5	3/8
HS24800	4.76	3/16	12.7	1/2
HS25000	5.0		12.7	1/2
HS26000	6.0		12.7	1/2
HS26300	6.35	1/4	12.7	1/2



TAS

Depth-Stops

For adjusting depth of countersinks.

Available for most tools under request.



Click & Drill

The Quick Change System

HSZ

Stepped Drills – Spade style

1/4" (6.3mm) hexagonal shanks.

Tool No. Description

HSZ3004 Economical set of 3 tools for countersinking and drilling for wood screws #6 (3.5mm), #8 (4mm) and #10 (5mm).




ASD

RTA Furniture Step Drills

For connecting screws.
Countersink - 2 steps DHN* treated.
HSS Slow Spiral drill.
1/4" (6.3mm) hexagonal shanks.

*DHN - Advanced surface treatment for extended life.

Tool No.	D1	D2	D3
	mm	mm	mm
ASD0504D	3.5	5.0	7.0
ASD0704D	5.0	7.0	10.0




AS4

Counterbores - Carbide tipped with HSS Slow Spiral drills.

1/4" (6.3mm) hexagonal shanks.

Tool No.	d		D		Drill No.
	mm	inch	mm	inch	
AS44004D	4.0	5/32	9.5	3/8	DRS0400
AS44804D	4.76	3/16	9.5	3/8	DRS0480
AS44814D	4.76	3/16	12.7	3/8	DRS0480
AS46304D	6.35	1/4	9.5	1/2	DRS0630
AS46314D	6.35	1/4	12.7	1/2	DRS0630

Short drills - 75mm (3") long




HMZ

Glass & Tile Drills

Carbide tipped with spear point.
Special Grinding for longer life.
1/4" (6.3mm) hexagonal shanks.

Tool No.	D	
	mm	inch
HMZ0304	3.0	1/8
HMZ0404	4.0	5/32
HMZ0504	5.0	3/16
HMZ0604	6.0	1/4
HMZ0704	7.0	9/32
HMZ0804	8.0	5/16
HMZ1004	10.0	3/8
HMZ1204	12.0	
HMZ1304	12.7	1/2

QMZ0604 Set of 6 drills (3mm-10mm) + Chuck in a wooden box




MNS

Plug Cutters – Heavy duty

For decoratively concealing screw heads.
Heat treated and DHN* treated.
1/4" (6.3mm) hexagonal shanks.

For better results – use a Drill Press
*DHN - Advanced surface treatment for extended life.

Tool No.	D	
	mm	inch
MNS0804	8.0	5/16
MNS0954	9.5	3/8
MNS1004	10.0	
MNS1204	12.0	
MNS1274	12.7	1/2
MNS1604	16.0	5/8




HMNS

Plug Cutters

For decoratively concealing screw heads. Heat treated.
1/4" (6.3mm) hexagonal shanks.

For better results – use a Drill Press

Tool No.	D	
	mm	inch
HMNS954	9.5	3/8
HMNS104	10.0	
HMNS134	12.7	1/2
HMNS164	16.0	5/8




HMPS

Carbide Tipped Boring Bits

For blind holes.
1/4" (6.3mm) hexagonal shanks.

For better results – use a Drill Press

Tool No.	D	L
	mm	mm
HMPS154	15	55
HMPS204	20	55
HMPS254	25	55
HMPS264	26	55
HMPS304	30	55
HMPS354	35	55




HMPT

Carbide Tipped Boring Bits

For blind holes.
1/4" (6.3mm) hexagonal shanks.

Designed for drilling in a hand held drill.

Tool No.	D	L
	mm	mm
HMPT264	26	58
HMPT354	35	58




TDS - S

Drill Adapters with HSS drills

1/4" (6.3mm) hexagonal shanks

Tool No.	d		Tool No.	d	
	mm	inch		mm	inch
TDS0200S	2.0	5/64	TDS0400S	4.0	5/32
TDS0240S	2.4	3/32	TDS0440S	4.4	11/64
TDS0280S	2.8	7/64	TDS0480S	4.76	3/16
TDS0300S	3.0		TDS0500S	5.0	
TDS0320S	3.2	1/8	TDS0560S	5.6	7/32
TDS0350S	3.5		TDS0600S	6.0	15/64
TDS0360S	3.6	9/64	TDS0630S	6.35	1/4

QTD0504 5 pcs set: 3mm, 3.5mm, 4mm, 5mm, 6mm



TDS - T


Drill Adapters with Taper Point drills

1/4" (6.3mm) hexagonal shanks

Saves time when drilling pilot holes for wood screws.
One pass for both the shank of the screw and for the thread.

Pilot holes for wood screws are recommended especially for hard woods. The hole in the first piece of wood should be bored large enough to accommodate freely the screw shank. In the second piece of wood the hole should be slightly smaller to fit the core between the threads. Using the taper Point Drill on a Countersink bit enables 3 operations in one pass!

Tool No.	d	
	mm	inch
TDS0200T	2.0	5/64
TDS0240T	2.4	3/32
TDS0280T	2.8	7/64
TDS0320T	3.2	1/8
TDS0360T	3.6	9/64
TDS0400T	4.0	5/32
TDS0440T	4.4	11/64
TDS0480T	4.76	3/16
TDS0560T	5.6	7/32
TDS0630T	6.35	1/4



DRB

Masonry drills

1/4" (6.3mm) hexagonal shanks

Tool No.	d
	mm
DRB0504	5.0
DRB0604	6.0
DRB0804	8.0
DRB1004	10.0




DRFW

Flat wood drills

1/4" (6.3mm) hexagonal shanks

Tool No.	d		Tool No.	d	
	mm	inch		mm	inch
DRFW104	10		DRFW224	22	
DRFW124	12		DRFW254	25	
DRFW154	15		DRFW264	26	
DRFW164	16		DRFW304	30	
DRFW204	20		DRFW354	35	




TDS - W

Drill Adapters with Brad point drills

1/4 (6.3mm) hexagonal shanks.

Tool No.	d	
	mm	inch
TDS0300W	3.0	
TDS0320W	3.2	1/8
TDS0350W	3.5	
TDS0360W	3.6	9/64
TDS0400W	4.0	5/32
TDS0440W	4.4	11/64
TDS0500W	5.0	
TDS0600W	6.0	15/64
TDS0630W	6.35	1/4




DR


HSS drills

1/4" (6.3mm) hexagonal shanks

Tool No.	d		Tool No.	d	
	mm	inch		mm	inch
DR02404	2.4	3/32	DR04404	4.4	11/64
DR03004	3.0		DR04804	4.76	3/16
DR03204	3.2	1/8	DR05004	5.0	
DR03504	3.5		DR05604	5.6	7/32
DR03604	3.6	9/64	DR06004	6.0	15/64
DR04004	4.0	5/32	DR06304	6.35	1/4



Distributed By:



W.P.W. Engineering Ltd.
Hamagal St. Industrial Area Karmiel
P.O.Box 6444, Karmiel 20100, Israel
Tel: 972-4-9989482 Fax: 972-4-9882817
www.ppw.co.il